
The evolution and known forcing mechanisms behind the 2013-2015 North Pacific warm anomalies

Dillon J. Amaya, Nicholas E. Bond, Arthur J. Miller, and Michael J. DeFlorio

"A Tale of Two Blobs" in *Variations* June 7, 2016










Normalized SSTAs (shading) SLPAs (black contours)

A series of unfortunate (warm) events




A series of unfortunate (warm) events







A series of unfortunate (warm) events


























Arc Pattern









Arc Pattern






























- Deflected wintertime storms north of California, intensifying "Mega-Drought". [e.g., Swain et al., 2014]
- Jet stream perturbations, contributing to historically cold North America 2013/2014 winter. [Hartmann, 2015]
- Main forcing mechanism for the Gulf of Alaska Warming. [Bond et al., 2015]




Adapted from Bond et al., 2015




• Significant reduction in energy imparted by atmosphere into ocean for wintertime mixing processes.


Adapted from Bond et al., 2015



- Significant reduction in energy imparted by atmosphere into ocean for wintertime mixing processes.
- Gulf of Alaska Warming is the result of a lack of seasonal cooling.


Adapted from Bond et al., 2015







"El Niño that wasn't"


Mid-Apr IRI/CPC Plume-Based Probabilistic ENSO Forecast




"El Niño that wasn't"










Arc Pattern




- PDO-like pattern likely a result of surface heat fluxes. [e.g., Alexander and Scott, 1997]
- California coastal warming (within 400km of shore) largely due to suppressed mixing and seasonal upwelling. [Zaba and Rudnick, 2016]










 Air-sea interactions such as wind-evaporation-SST feedback and low-cloud/ SST feedback likely important in broad scale Baja warming.







Image courtesy of IRI/CPC



Do we get a sequel?





Do we get a sequel?

Mid-May IRI/CPC Model-Based Probabilistic ENSO Forecast




Image courtesy of IRI/CPC

Thank you!